

Communication Boards



Instructions

If you have InPrint 3

- Open the InPrint 3 file for the style board you like
- Edit any content you wish
- Save the InPrint file and export as a PDF

If you have Widgit Online

- Upload the zip of board styles to your Widgit Online account.
- Open the style you like
- Edit any content you wish
- Save a PDF

Material

- Choose if you want Foamex or Dibond

Your Logo (optional)

- Send us your logo, ideally as an SVG, EPS or Illustrator file
- If supplying a JPG or PNG it must be high resolution and over 6cm

To Order

Please send your purchase order and the following:

- Your sign content as a PDF
- (optional) your sign content as Widgit Online or InPrint 3 files
- Your logo
- Choice of Foamex or Dibond

Email the above to:


signage@widgit.com

For full order information and FAQs, please visit:

widgit.com/signage

Communication Boards

Style 1



Content


- Space for Logo
- Title
- 35 symbols

Signage

- 594 x 841mm (A1)
- 3mm Foamex or Dibond
- 4mm rounded corners
- Weathershield UV fade resistant laminate

Communication Boards

Style 2



Content


- 48 symbols

Signage

- 594 x 841mm (A1)
- 3mm Foamex or Dibond
- 4mm rounded corners
- Weathershield UV fade resistant laminate

Communication Boards

Style 3



Content


- Space for Logo
- Title
- 20 symbols

Signage

- 594 x 841mm (A1)
- 3mm Foamex or Dibond
- 4mm rounded corners
- Weathershield UV fade resistant laminate

Communication Boards

Style 4



Content

- Space for Logo
- Title
- 31 symbols

Signage

- 594 x 841mm (A1)
- 3mm Foamex or Dibond
- 4mm rounded corners
- Weathershield UV fade resistant laminate

Communication Boards

Material Choice

Foamex

Foamex is a superior quality, extremely versatile PVC foam sheet that is extremely popular for use in signage.

It is easy to work with and can be nailed, screwed or riveted to surfaces with ease.

It can also be mounted with double sided sticky pads for easy removal.

It is softer than Dibond, has no sharp edges and is suitable for indoor and outdoor use.




Dibond

Dibond consists of two thin sheets of Aluminium enclosing a Polyethylene core.

Suitable for a vast range of applications, they are lightweight but strong and the extremely flat surface is great for printing high quality graphics or text.

Dibond can be nailed, screwed or riveted to surfaces with ease and can also be mounted with double sided sticky pads for easy removal. Harder wearing than Foamex and suitable for indoor and outdoor use.

A very popular choice for communication boards due to its hardy nature.




Bespoke Widgit Symbol Signage

www.widgit.com/signage


Our highly experienced team can design, print and deliver symbolised signage in a range of sizes for easy self-installation.

We offer a bespoke design service for all non-standard communication boards, and a wide range of door and navigation signs.



Communication boards

- A4 to A0 sizes



Door signs

- Vinyl, Foamex, Dibond, Acrylic

